

Schema valutazioni.xsd

element valutazione

diagram	<pre> classDiagram class valutazione { dsm codice_struttura } valutazione < -- valutazione </pre> <p>prestazioni legate agli episodi di cura</p>
properties	content complex
children	dsm codice_struttura valutazione
annotation	documentation prestazioni legate agli episodi di cura
source	<pre> <xs:element name="valutazione"> <xs:annotation> <xs:documentation>prestazioni legate agli episodi di cura</xs:documentation> </xs:annotation> <xs:complexType> <xs:sequence> <xs:element name="dsm"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="D01"/> <xs:enumeration value="D02"/> <xs:enumeration value="D03"/> <xs:enumeration value="D04"/> <xs:enumeration value="D05"/> <xs:enumeration value="D06"/> <xs:enumeration value="D07"/> <xs:enumeration value="D08"/> <xs:enumeration value="D09"/> <xs:enumeration value="D10"/> <xs:enumeration value="D11"/> <xs:enumeration value="D12"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element name="codice_struttura"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:length value="8"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element name="valutazione" minOccurs="0" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element name="id_anonimo"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="32"/> </xs:restriction> </xs:simpleType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>

```

</xs:simpleType>
</xs:element>
<xs:element name="id_episodio">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:maxLength value="14"/>
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="id_specifica">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:maxLength value="4"/>
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="periodo">
<xs:simpleType>
<xs:restriction base="xs:string">
<xs:enumeration value="M1"/>
<xs:enumeration value="M2"/>
<xs:enumeration value="M3"/>
<xs:enumeration value="M4"/>
<xs:enumeration value="M5"/>
<xs:enumeration value="M6"/>
<xs:enumeration value="M7"/>
<xs:enumeration value="M8"/>
<xs:enumeration value="M9"/>
<xs:enumeration value="M10"/>
<xs:enumeration value="M11"/>
<xs:enumeration value="M12"/>
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="dataval">
<xs:simpleType>
<xs:restriction base="xs:date"/>
</xs:simpleType>
</xs:element>
<xs:element name="mmse" minOccurs="0">
<xs:simpleType>
<xs:restriction base="xs:decimal">
<xs:maxInclusive value="30.0"/>
<xs:minInclusive value="0.0"/>
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="bprs" minOccurs="0">
<xs:simpleType>
<xs:restriction base="xs:integer">
<xs:minInclusive value="1"/>
<xs:pattern value="[0-9]{1,2}|[1]{1}[0-8]{1}[0-9]{1}|190|191|192"/>
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="k1" minOccurs="0">

```

```
<xs:simpleType>
  <xs:restriction base="xs:integer">
    <xs:minInclusive value="1"/>
    <xs:pattern value="[0-9]{1,2}|100|999"/>
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="k2" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:integer">
      <xs:minInclusive value="1"/>
      <xs:pattern value="[0-9]{1,2}|100|999"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="k3" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:integer">
      <xs:minInclusive value="1"/>
      <xs:pattern value="[0-9]{1,2}|100|999"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="k4" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:integer">
      <xs:minInclusive value="1"/>
      <xs:pattern value="[0-9]{1,2}|100|999"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="k5" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:integer">
      <xs:minInclusive value="1"/>
      <xs:pattern value="[0-9]{1,2}|100|999"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="k6" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:integer">
      <xs:minInclusive value="1"/>
      <xs:pattern value="[0-9]{1,2}|100|999"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="k7" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:integer">
      <xs:minInclusive value="1"/>
      <xs:pattern value="[0-9]{1,2}|100|999"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="tipo_operazione">
```


	<pre> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="I"> <xs:annotation> <xs:documentation>Inserimento</xs:documentation> </xs:annotation> </xs:enumeration> <xs:enumeration value="C"> <xs:annotation> <xs:documentation>Cancellazione</xs:documentation> </xs:annotation> </xs:enumeration> <xs:enumeration value="V"> <xs:annotation> <xs:documentation>Variazione</xs:documentation> </xs:annotation> </xs:enumeration> </xs:restriction> </xs:simpleType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>
--	---

element valutazione/dsm

diagram																																								
type	restriction of xs:string																																							
properties	isRef 0 content simple																																							
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>D01</td><td></td></tr> <tr><td>enumeration</td><td>D02</td><td></td></tr> <tr><td>enumeration</td><td>D03</td><td></td></tr> <tr><td>enumeration</td><td>D04</td><td></td></tr> <tr><td>enumeration</td><td>D05</td><td></td></tr> <tr><td>enumeration</td><td>D06</td><td></td></tr> <tr><td>enumeration</td><td>D07</td><td></td></tr> <tr><td>enumeration</td><td>D08</td><td></td></tr> <tr><td>enumeration</td><td>D09</td><td></td></tr> <tr><td>enumeration</td><td>D10</td><td></td></tr> <tr><td>enumeration</td><td>D11</td><td></td></tr> <tr><td>enumeration</td><td>D12</td><td></td></tr> </tbody> </table>	Kind	Value	annotation	enumeration	D01		enumeration	D02		enumeration	D03		enumeration	D04		enumeration	D05		enumeration	D06		enumeration	D07		enumeration	D08		enumeration	D09		enumeration	D10		enumeration	D11		enumeration	D12	
Kind	Value	annotation																																						
enumeration	D01																																							
enumeration	D02																																							
enumeration	D03																																							
enumeration	D04																																							
enumeration	D05																																							
enumeration	D06																																							
enumeration	D07																																							
enumeration	D08																																							
enumeration	D09																																							
enumeration	D10																																							
enumeration	D11																																							
enumeration	D12																																							
source	<pre> <xs:element name="dsm"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="D01"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>																																							

	<pre> <xs:enumeration value="D02"/> <xs:enumeration value="D03"/> <xs:enumeration value="D04"/> <xs:enumeration value="D05"/> <xs:enumeration value="D06"/> <xs:enumeration value="D07"/> <xs:enumeration value="D08"/> <xs:enumeration value="D09"/> <xs:enumeration value="D10"/> <xs:enumeration value="D11"/> <xs:enumeration value="D12"/> </xs:restriction> </xs:simpleType> </xs:element></pre>
--	--

element **valutazione/codice_struttura**

diagram							
type	restriction of xs:string						
properties	<table> <tr> <td>isRef</td> <td>0</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </table>	isRef	0	content	simple		
isRef	0						
content	simple						
facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>annotation</td> </tr> <tr> <td>length</td> <td>8</td> <td></td> </tr> </table>	Kind	Value	annotation	length	8	
Kind	Value	annotation					
length	8						
source	<pre> <xs:element name="codice_struttura"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:length value="8"/> </xs:restriction> </xs:simpleType> </xs:element></pre>						

element **valutazione/valutazione**

diagram	<pre> classDiagram class id_anonimo class id_episodio class id_specifica class periodo class dataval class mmse class bprs class k1 class k2 class k3 class k4 class k5 class k6 class k7 class tipo_operazione dataval "0..∞" -- "*" k1 dataval "*" -- "*" k2 dataval "*" -- "*" k3 dataval "*" -- "*" k4 dataval "*" -- "*" k5 dataval "*" -- "*" k6 dataval "*" -- "*" k7 </pre>
properties	<p> isRef 0 minOcc 0 maxOcc unbounded content complex </p>
children	id_anonimo id_episodio id_specifica periodo dataval mmse bprs k1 k2 k3 k4 k5 k6 k7 tipo_operazione
source	<pre> <xs:element name="valutazione" minOccurs="0" maxOccurs="unbounded"> <xs:complexType> <xs:sequence> <xs:element name="id_anonimo"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="32"/> </xs:restriction> </xs:simpleType> </xs:element> <xs:element name="id_episodio"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="14"/> </xs:restriction> </xs:simpleType> </xs:element> </xs:sequence> </xs:complexType> </xs:element> </pre>

```

<xs:element name="id_specifica">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:maxLength value="4"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="periodo">
  <xs:simpleType>
    <xs:restriction base="xs:string">
      <xs:enumeration value="M1"/>
      <xs:enumeration value="M2"/>
      <xs:enumeration value="M3"/>
      <xs:enumeration value="M4"/>
      <xs:enumeration value="M5"/>
      <xs:enumeration value="M6"/>
      <xs:enumeration value="M7"/>
      <xs:enumeration value="M8"/>
      <xs:enumeration value="M9"/>
      <xs:enumeration value="M10"/>
      <xs:enumeration value="M11"/>
      <xs:enumeration value="M12"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="dataval">
  <xs:simpleType>
    <xs:restriction base="xs:date"/>
  </xs:simpleType>
</xs:element>
<xs:element name="mmse" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:decimal">
      <xs:maxInclusive value="30.0"/>
      <xs:minInclusive value="0.0"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="bprs" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:integer">
      <xs:minInclusive value="1"/>
      <xs:pattern value="[0-9]{1,2}|[1]{1}[0-8]{1}[0-9]{1}|190|191|192"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="k1" minOccurs="0">
  <xs:simpleType>
    <xs:restriction base="xs:integer">
      <xs:minInclusive value="1"/>
      <xs:pattern value="[0-9]{1,2}|100|999"/>
    </xs:restriction>
  </xs:simpleType>
</xs:element>
<xs:element name="k2" minOccurs="0">
  <xs:simpleType>

```


```

<xs:restriction base="xs:integer">
  <xs:minInclusive value="1"/>
  <xs:pattern value="[0-9]{1,2}|100|999"/>
</xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="k3" minOccurs="0">
<xs:simpleType>
  <xs:restriction base="xs:integer">
    <xs:minInclusive value="1"/>
    <xs:pattern value="[0-9]{1,2}|100|999"/>
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="k4" minOccurs="0">
<xs:simpleType>
  <xs:restriction base="xs:integer">
    <xs:minInclusive value="1"/>
    <xs:pattern value="[0-9]{1,2}|100|999"/>
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="k5" minOccurs="0">
<xs:simpleType>
  <xs:restriction base="xs:integer">
    <xs:minInclusive value="1"/>
    <xs:pattern value="[0-9]{1,2}|100|999"/>
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="k6" minOccurs="0">
<xs:simpleType>
  <xs:restriction base="xs:integer">
    <xs:minInclusive value="1"/>
    <xs:pattern value="[0-9]{1,2}|100|999"/>
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="k7" minOccurs="0">
<xs:simpleType>
  <xs:restriction base="xs:integer">
    <xs:minInclusive value="1"/>
    <xs:pattern value="[0-9]{1,2}|100|999"/>
  </xs:restriction>
</xs:simpleType>
</xs:element>
<xs:element name="tipo_operazione">
<xs:simpleType>
  <xs:restriction base="xs:string">
    <xs:enumeration value="I">
      <xs:annotation>
        <xs:documentation>Inserimento</xs:documentation>
      </xs:annotation>
    </xs:enumeration>
    <xs:enumeration value="C">
      <xs:annotation>

```

	<pre> <xs:documentation>Cancellazione</xs:documentation> </xs:annotation> </xs:enumeration> <xs:enumeration value="V"> <xs:annotation> <xs:documentation>Variazione</xs:documentation> </xs:annotation> </xs:enumeration> </xs:restriction> </xs:simpleType> </xs:element> </xs:sequence> </xs:complexType> </xs:element></pre>
--	---


element valutazione/valutazione/id_anonimo

diagram	
type	restriction of xs:string
properties	isRef 0 content simple
facets	Kind Value annotation maxLength 32
source	<pre> <xs:element name="id_anonimo"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="32"/> </xs:restriction> </xs:simpleType> </xs:element></pre>


element valutazione/valutazione/id_episodio

diagram	
type	restriction of xs:string
properties	isRef 0 content simple
facets	Kind Value annotation maxLength 14
source	<pre> <xs:element name="id_episodio"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="14"/> </xs:restriction> </xs:simpleType> </xs:element></pre>

element valutazione/valutazione/id_specifica

diagram	 id_specifica
type	restriction of xs:string
properties	isRef 0 content simple
facets	Kind Value annotation maxLength 4
source	<pre><xs:element name="id_specifica"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:maxLength value="4"/> </xs:restriction> </xs:simpleType> </xs:element></pre>

element valutazione/valutazione/periodo


diagram	 periodo
type	restriction of xs:string
properties	isRef 0 content simple
facets	Kind Value annotation enumeration M1 enumeration M2 enumeration M3 enumeration M4 enumeration M5 enumeration M6 enumeration M7 enumeration M8 enumeration M9 enumeration M10 enumeration M11 enumeration M12
source	<pre><xs:element name="periodo"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="M1"/> <xs:enumeration value="M2"/> <xs:enumeration value="M3"/> <xs:enumeration value="M4"/> <xs:enumeration value="M5"/> <xs:enumeration value="M6"/> <xs:enumeration value="M7"/> <xs:enumeration value="M8"/> <xs:enumeration value="M9"/> <xs:enumeration value="M10"/> <xs:enumeration value="M11"/></pre>

	<pre> <xs:enumeration value="M12"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>
--	---


element valutazione/valutazione/dataval

diagram	
type	restriction of xs:date
properties	isRef 0 minOcc 0 maxOcc 1 content simple
source	<pre> <xs:element name="dataval"> <xs:simpleType> <xs:restriction base="xs:date"/> </xs:simpleType> </xs:element> </pre>

element valutazione/valutazione/mmse

diagram										
type	restriction of xs:decimal									
properties	isRef 0 minOcc 0 maxOcc 1 content simple									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>annotation</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>0.0</td> <td></td> </tr> <tr> <td>maxInclusive</td> <td>30.0</td> <td></td> </tr> </tbody> </table>	Kind	Value	annotation	minInclusive	0.0		maxInclusive	30.0	
Kind	Value	annotation								
minInclusive	0.0									
maxInclusive	30.0									
source	<pre> <xs:element name="mmse" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:decimal"> <xs:maxInclusive value="30.0"/> <xs:minInclusive value="0.0"/> </xs:restriction> </xs:simpleType> </xs:element> </pre>									

element valutazione/valutazione/bprs

diagram							
type	restriction of xs:integer						
properties	isRef 0 minOcc 0 maxOcc 1 content simple						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>annotation</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	annotation	minInclusive	1	
Kind	Value	annotation					
minInclusive	1						

	pattern [0-9]{1,2}{1}{1}{0-8}{1}{0-9}{1} 190 191 192
source	<pre><xs:element name="bprs" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:integer"> <xs:minInclusive value="1"/> <xs:pattern value="[0-9]{1,2}{1}{1}{0-8}{1}{0-9}{1} 190 191 192"/> </xs:restriction> </xs:simpleType> </xs:element></pre>

element valutazione/valutazione/k1

diagram										
type	restriction of xs:integer									
properties	<table> <tr> <td>isRef</td><td>0</td></tr> <tr> <td>minOcc</td><td>0</td></tr> <tr> <td>maxOcc</td><td>1</td></tr> <tr> <td>content</td><td>simple</td></tr> </table>	isRef	0	minOcc	0	maxOcc	1	content	simple	
isRef	0									
minOcc	0									
maxOcc	1									
content	simple									
facets	<table> <tr> <td>Kind</td><td>Value</td><td>annotation</td></tr> <tr> <td>minInclusive</td><td>1</td><td></td></tr> <tr> <td>pattern</td><td>[0-9]{1,2} 100 999</td><td></td></tr> </table>	Kind	Value	annotation	minInclusive	1		pattern	[0-9]{1,2} 100 999	
Kind	Value	annotation								
minInclusive	1									
pattern	[0-9]{1,2} 100 999									
source	<pre><xs:element name="k1" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:integer"> <xs:minInclusive value="1"/> <xs:pattern value="[0-9]{1,2} 100 999"/> </xs:restriction> </xs:simpleType> </xs:element></pre>									

element valutazione/valutazione/k2

diagram										
type	restriction of xs:integer									
properties	<table> <tr> <td>isRef</td><td>0</td></tr> <tr> <td>minOcc</td><td>0</td></tr> <tr> <td>maxOcc</td><td>1</td></tr> <tr> <td>content</td><td>simple</td></tr> </table>	isRef	0	minOcc	0	maxOcc	1	content	simple	
isRef	0									
minOcc	0									
maxOcc	1									
content	simple									
facets	<table> <tr> <td>Kind</td><td>Value</td><td>annotation</td></tr> <tr> <td>minInclusive</td><td>1</td><td></td></tr> <tr> <td>pattern</td><td>[0-9]{1,2} 100 999</td><td></td></tr> </table>	Kind	Value	annotation	minInclusive	1		pattern	[0-9]{1,2} 100 999	
Kind	Value	annotation								
minInclusive	1									
pattern	[0-9]{1,2} 100 999									
source	<pre><xs:element name="k2" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:integer"> <xs:minInclusive value="1"/> <xs:pattern value="[0-9]{1,2} 100 999"/> </xs:restriction> </xs:simpleType> </xs:element></pre>									

element valutazione/valutazione/k3

diagram										
type	restriction of xs:integer									
properties	<table> <tr> <td>isRef</td> <td>0</td> </tr> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </table>	isRef	0	minOcc	0	maxOcc	1	content	simple	
isRef	0									
minOcc	0									
maxOcc	1									
content	simple									
facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>annotation</td> </tr> <tr> <td>minInclusive</td> <td>1</td> <td></td> </tr> <tr> <td>pattern</td> <td>[0-9]{1,2} 100 999</td> <td></td> </tr> </table>	Kind	Value	annotation	minInclusive	1		pattern	[0-9]{1,2} 100 999	
Kind	Value	annotation								
minInclusive	1									
pattern	[0-9]{1,2} 100 999									
source	<pre><xs:element name="k3" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:integer"> <xs:minInclusive value="1"/> <xs:pattern value="[0-9]{1,2} 100 999"/> </xs:restriction> </xs:simpleType> </xs:element></pre>									

element valutazione/valutazione/k4

diagram										
type	restriction of xs:integer									
properties	<table> <tr> <td>isRef</td> <td>0</td> </tr> <tr> <td>minOcc</td> <td>0</td> </tr> <tr> <td>maxOcc</td> <td>1</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </table>	isRef	0	minOcc	0	maxOcc	1	content	simple	
isRef	0									
minOcc	0									
maxOcc	1									
content	simple									
facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>annotation</td> </tr> <tr> <td>minInclusive</td> <td>1</td> <td></td> </tr> <tr> <td>pattern</td> <td>[0-9]{1,2} 100 999</td> <td></td> </tr> </table>	Kind	Value	annotation	minInclusive	1		pattern	[0-9]{1,2} 100 999	
Kind	Value	annotation								
minInclusive	1									
pattern	[0-9]{1,2} 100 999									
source	<pre><xs:element name="k4" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:integer"> <xs:minInclusive value="1"/> <xs:pattern value="[0-9]{1,2} 100 999"/> </xs:restriction> </xs:simpleType> </xs:element></pre>									

element valutazione/valutazione/k5

diagram					
type	restriction of xs:integer				
properties	<table> <tr> <td>isRef</td> <td>0</td> </tr> <tr> <td>minOcc</td> <td>0</td> </tr> </table>	isRef	0	minOcc	0
isRef	0				
minOcc	0				

	maxOcc 1 content simple
facets	Kind Value annotation minInclusive 1 pattern [0-9]{1,2} 100 999
source	<xs:element name="k5" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:integer"> <xs:minInclusive value="1"/> <xs:pattern value="[0-9]{1,2} 100 999"/> </xs:restriction> </xs:simpleType> </xs:element>

element valutazione/valutazione/k6

diagram	
type	restriction of xs:integer
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	Kind Value annotation minInclusive 1 pattern [0-9]{1,2} 100 999
source	<xs:element name="k6" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:integer"> <xs:minInclusive value="1"/> <xs:pattern value="[0-9]{1,2} 100 999"/> </xs:restriction> </xs:simpleType> </xs:element>

element valutazione/valutazione/k7

diagram	
type	restriction of xs:integer
properties	isRef 0 minOcc 0 maxOcc 1 content simple
facets	Kind Value annotation minInclusive 1 pattern [0-9]{1,2} 100 999
source	<xs:element name="k7" minOccurs="0"> <xs:simpleType> <xs:restriction base="xs:integer"> <xs:minInclusive value="1"/>

	<pre> <xs:pattern value="[0-9]{1,2} 100 999"/> </xs:restriction> </xs:simpleType> </xs:element></pre>
--	---

element valutazione/valutazione/tipo_operazione

diagram													
type	restriction of xs:string												
properties	<table> <tr> <td>isRef</td> <td>0</td> </tr> <tr> <td>content</td> <td>simple</td> </tr> </table>	isRef	0	content	simple								
isRef	0												
content	simple												
facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>annotation</td> </tr> <tr> <td>enumeration</td> <td>I</td> <td>documentation Inserimento</td> </tr> <tr> <td>enumeration</td> <td>C</td> <td>documentation Cancellazione</td> </tr> <tr> <td>enumeration</td> <td>V</td> <td>documentation Variazione</td> </tr> </table>	Kind	Value	annotation	enumeration	I	documentation Inserimento	enumeration	C	documentation Cancellazione	enumeration	V	documentation Variazione
Kind	Value	annotation											
enumeration	I	documentation Inserimento											
enumeration	C	documentation Cancellazione											
enumeration	V	documentation Variazione											
source	<pre> <xs:element name="tipo_operazione"> <xs:simpleType> <xs:restriction base="xs:string"> <xs:enumeration value="I"> <xs:annotation> <xs:documentation>Inserimento</xs:documentation> </xs:annotation> </xs:enumeration> <xs:enumeration value="C"> <xs:annotation> <xs:documentation>Cancellazione</xs:documentation> </xs:annotation> </xs:enumeration> <xs:enumeration value="V"> <xs:annotation> <xs:documentation>Variazione</xs:documentation> </xs:annotation> </xs:enumeration> </xs:restriction> </xs:simpleType> </xs:element></pre>												